

**VICTA®**



# VICTA® RANGE BROCHURE

## 2025/2026

[VICTA.COM.AU](http://VICTA.COM.AU)

# FIND THE RIGHT PRODUCT FOR THE RIGHT JOB.

Buying new outdoor power equipment can be a daunting task.

You have a lot of options and factors to consider. You want to make sure you select the right product to suit both you and your garden.

Victa®'s complete range of innovative products has every Aussie covered.

Find the right product at [VICTA.COM.AU](https://victa.com.au)

# CONTENTS

## HANDHELD GARDEN PRODUCTS

Petrol Range	5
Petrol Handheld Products	5
Combi-Tool™ Attachment Range	8
Battery Range	10
Mini Handheld Products	10
Battery Handheld Products	11
Battery & Charger Options	13

## LAWN MOWER PRODUCTS

Petrol Lawn Mowers	16
Residential Range	16
Commercial Range	24
Battery Lawn Mowers	26
Robot Lawn Mowers	29

## RIDE-ON & ZERO TURN MOWERS

Mini-Ride	33
VSX Series Ride-Ons	34
Zero Turns	36
Battery Ride-On and Zero Turn	37





# HANDHELD GARDEN PRODUCTS



# VICTA® **NEW** PETROL RANGE

Victa's Petrol Handheld Range is built for performance, durability, and ease of use - making garden care simple and efficient year-round.

## 5 YEAR WARRANTY\*\*

Includes a 5-year limited consumer warranty\*\*, giving you added confidence and long-term peace of mind.

## WALBRO® CARBURETOR

Each tool is also fitted with a premium Walbro® Carburetor, for high performance, durability and reliability.



COMPATIBLE WITH  
**COMBI-TOOL™**  
ATTACHMENTS



**BRUSHCUTTER  
BLADE INCLUDED**

### 2-STROKE 23CC BENT SHAFT TRIMMER 1697630

- Powerful 23cc full crank 2-stroke engine
- Premium Walbro® Carburetor for high performance
- Easy to start engine with soft start technology
- Quality bump head
- Lightweight and balanced design
- Solid Bent Shaft
- 5 Year Limited Domestic Warranty\*\*

### 2-STROKE 26CC STRAIGHT SHAFT TRIMMER 1697633

- Powerful 26cc full crank 2-stroke engine
- Premium Walbro® Carburetor for high performance
- Easy to start engine with soft start technology
- Quality quick feed head
- Lightweight and balanced design
- Compatible with all Victa Combi-Tool™ attachments
- Brushcutter Blade included to transform your trimmer into a brushcutter
- 5 Year Limited Domestic Warranty\*\*

\*\*Terms & conditions apply, see operator's manual or victa.com.au for details.  
Actual products may vary from images shown.


# VICTA® **NEW** PETROL RANGE

## 2-STROKE 25.4CC PETROL BLOWER VAC 1697632



- 25.4cc 2-stroke Blower VAC
- Generous 45L vacuum bag capacity collects leaves easily and quickly
- Converts easily from blower to vacuum
- Mulch and Collect with an integrated shredder
- Premium Walbro® Carburetor for high performance
- Max air speed 215 km/h
- Max air flow (CFM) of 360cfm
- Front wheels & an ergonomic carry harness allow for easy and comfortable operation
- 5 Year Limited Domestic Warranty\*\*

## 2-STROKE 23CC HEDGE TRIMMER 1697631



- 23cc full crank shaft 2-stroke hedge trimmer
- Premium Walbro® Carburetor for high performance
- 0.6kw engine to deliver a powerful performance
- Lightweight and balanced design makes operating easy
- Solid steel 600mm double sided cutting blades to get your job done faster
- Anti-vibration system minimises handle vibration, increasing user control
- 5 Year Limited Domestic Warranty\*\*

\*\*Terms & conditions apply, see operator's manual or [victa.com.au](http://victa.com.au) for details.  
Actual products may vary from images shown





SCAN ME FOR  
MORE INFORMATION

**5 YEAR**  
LIMITED PRODUCT  
WARRANTY

COMING SOON

## 2-STROKE 25.4CC PETROL EDGER

1697634

- 25.4cc 2-stroke engine provides a powerful tool to tackle all the edging around the home
- Premium Walbro® Carburetor for high performance
- Large cutting blades allow for a 228mm cutting diameter and 30mm cutting depth
- Comfort grip handles
- Large 150mm 3-wheel design allows for a very easy edging experience
- Easy to fold down handles for compact storage
- 5 Year Limited Domestic Warranty\*\*



AVAILABLE OCTOBER

## 2-STROKE 43CC PETROL POST HOLE DIGGER

1697629

- 43cc single cylinder 2-stroke post hole digger
- Premium Walbro® Carburetor for high performance
- 200mm auger ideal for boring through the toughest soil
- 520mm drilling depth – perfect for fence posts and stumps
- Safety stop brake swiftly cuts operation when making contact with a foreign object
- 5 Year Limited Domestic Warranty\*\*



PETROL HANDHELD PRODUCTS

\*\*Terms & conditions apply, see operator's manual or [victa.com.au](http://victa.com.au) for details.

# VICTA® COMBI-TOOL™


## COMBI-TOOL

Victa's versatile Combi-Tool™ system gives you the flexibility to take on a variety of tasks in your backyard.

Select either a Petrol or Battery Powered engine to suit your needs, then attach any of the Combi-Tool™ attachments to handle everything from light trimming to heavy-duty cutting with ease.

### STRAIGHT SHAFT TRIMMER 1697633

- Powerful 26cc full crank 2 stroke engine
- Premium Walbro® Carburetor for high performance
- Easy to start engine with soft start technology
- Quality quick feed head
- Lightweight and balanced design
- Compatible with all Victa Combi-Tool attachments
- Brushcutter Blade included to transform your trimmer into a brushcutter
- 5 Year Limited Domestic Warranty\*\*



### TWIN 18V POWERHEAD 1697389

- Twin 18V batteries drive the powerhead ensuring quiet and easy to use performance
- 36V 900W motor
- Symmetrical housing & even weight distribution delivers optimum balance and control
- 3 Turbo Speed Settings - 3900 RPM / 4800 RPM / 5700 RPM
- Compatible with Victa Combi-Tool attachments (attachments sold separately)
- Powered by 2 x Briggs & Stratton® 18V Lithium-Ion Batteries (sold separately)
- 5 Year Limited Domestic Warranty\*\*
- Recommended Briggs & Stratton® 18V Batteries: 4.0Ah, 5.0Ah and 8.0Ah



### EDGER 1697551

- Adjustable cutting depth up to 70 mm
- 220mm (8.5") Bar Blade
- Removable edging guide
- Compatible with Victa Combi-Tool system and all Victa split shaft trimmers
- 3 Year Limited Domestic Warranty\*\*




### BENT SHAFT TRIMMER ATTACHMENT 1697410

- Bent shaft trimmer attachment
- Quality quick feed head
- Compatible with Victa Combi-Tool system and all Victa split shaft trimmers
- 3 Year Limited Domestic Warranty\*\*



### STRAIGHT TRIMMER ATTACHMENT 1697409

- Straight shaft trimmer attachment
- Quality quick feed head
- Compatible with Victa Combi-Tool system and all Victa split shaft trimmers
- 3 Year Limited Domestic Warranty\*\*




### POLE SAW 1696894

- 10" Oregon® bar
- 90° pivoting head
- 1.5M operating reach
- Compatible with Victa Combi-Tool system and all Victa split shaft trimmers.
- 3 Year Limited Domestic Warranty\*\*




### LONG HANDLE HEDGE TRIMMER 1697569

- 270° pivoting head
- 400 mm (15.5") dual-action blades
- 1.2m Operating reach
- Compatible with Victa Combi-Tool system and all Victa split shaft trimmers
- 3 Year Limited Domestic Warranty\*\*




### SHORT HANDLE HEDGE TRIMMER 1697552

- 270° pivoting head
- 400 mm (15.5") dual-action blades
- 0.8m Operating reach
- Compatible with Victa Combi-Tool system and all Victa split shaft trimmers
- 3 Year Limited Domestic Warranty\*\*



### POLE EXTENSION 1696901

- 650 mm (25.5") reinforced long-reach extension shaft
- Compatible with Victa Combi-Tool system and all Victa split shaft trimmers
- 3 Year Limited Domestic Warranty\*\*



\*\*Terms & conditions apply, see operator's manual or victa.com.au for details.  
Actual products may vary from images shown.





# THE NEW USB-C BATTERY POWERS & CHARGES



DUAL FUNCTION USB-C PORT MEANS YOU CAN NOW CHARGE  
YOUR BATTERY AND POWER UP ALL YOUR CHARGEABLES.

Look out for the new USB-C in the 5.0Ah battery - 1697601

# MINI HANDHELD RANGE

Maintaining your backyard has never been so easy with this versatile, sleek, compact and powerful range. Designed to deliver performance and durability, this 18V mini handheld range is small but mighty. Compatible with Briggs & Stratton® 2.5Ah, 4.0Ah, 5.0Ah & 8.0Ah Lithium-Ion batteries.



**18V**  
**18V MINI**  
**HEDGE TRIMMER & SHEARS**  
SKIN: 1697528

- Powerful 150W motor
- Compact & cordless design for ease of use in maintaining & shaping bushes & shrubs
- Includes grass shear attachment for extra versatility
- 200 mm hedge trimmer blade
- 120 mm shear blade
- Max cutting diameter of 8 mm (trimmer)
- 120 mm max cut shear blade (width)
- Weight (without battery) 2 kg
- 5 Year Limited Product Warranty\*\*
- Powered by 1 x Briggs & Stratton® 18V Lithium-Ion Battery (sold separately)
- Recommended Briggs & Stratton® 18V Batteries: 2.5Ah, 4.0Ah, 5.0Ah and 8.0Ah



**18V**  
**18V**  
**PRUNING SHEARS**  
SKIN: 1697576

- High-grade steel blades
- Ergonomic handle for a comfortable grip
- Ideal for soft greenwood
- Cutting diameter of 25 mm
- Cutting speed of 1.2 seconds
- Runtime of over 2,000 cuts^
- Weight (without battery) approx. 1 kg
- 5 Year Limited Product Warranty\*\*
- Powered by 1 x Briggs & Stratton® 18V Lithium-Ion Battery (sold separately)
- Recommended Briggs & Stratton® 18V Batteries: 2.5Ah, 4.0Ah, 5.0Ah and 8.0Ah

**18V**  
**18V MINI**  
**CHAINSAW**  
SKIN: 1697526

- Powerful 320W motor
- Cordless mobility offers freedom of movement during cutting
- Perfect for one hand operation
- 25ml oil tank for easy chain lubrication
- 5" bar length
- 100 mm max cutting diameter
- 0.3" chain pitch
- 7 m/s chain speed
- Weight (without battery) 1.9 kg
- 5 Year Limited Product Warranty\*\*
- Powered by 1 x Briggs & Stratton® 18V Lithium-Ion Battery (sold separately)
- Recommended Briggs & Stratton® 18V Batteries: 2.5Ah, 4.0Ah, 5.0Ah and 8.0Ah



**18V**  
**18V**  
**PRUNING SAW**  
SKIN: 1697527

- Powerful 180W motor
- Compact & cordless design for easy one handed use
- 150 mm blade length
- 70 mm (wood) cutting diameter
- Weight (without battery) 2 kg
- 5 Year Limited Product Warranty\*\*
- Powered by 1 x Briggs & Stratton® 18V Lithium-Ion Battery (sold separately)
- Recommended Briggs & Stratton® 18V Batteries: 2.5Ah, 4.0Ah, 5.0Ah and 8.0Ah



^Using a 5.0Ah Lithium-Ion battery.

\*\*Terms & conditions apply, see operator's manual or victa.com.au for details.



# BATTERY RANGE

**5 YEAR**  
LIMITED PRODUCT  
WARRANTY

**3 YEAR**  
LIMITED BATTERY  
WARRANTY



**STRAIGHT  
SHAFT TRIMMER**



**POLE PRUNER**



**HEDGE TRIMMER**



**COMBI-TOOL**



**EXTENSION POLE**



**BENT  
SHAFT TRIMMER**



**EDGER**



**SHORT HANDLE  
HEDGE TRIMMER**

## TWIN 18V COMBI-TOOL POWERHEAD SKIN: 1697389

**36V**  
**18V + 18V**

- Twin 18V batteries drive the powerhead ensuring quiet and easy to use performance
- 36V 900W motor
- Symmetrical housing & even weight distribution delivers optimum balance and control
- 3 Turbo Speed Settings - 3900 RPM/4800 RPM/ 5700 RPM
- Compatible with Victa Combi-Tool attachments (attachments sold separately)
- True variable speed trigger
- Shoulder strap included
- 5 Year Limited Product Warranty\*\*
- Powered by 2 x Briggs & Stratton® 18V Lithium-Ion Batteries (sold separately)
- Recommended Briggs & Stratton® 18V Batteries: 4.0Ah, 5.0Ah and 8.0Ah

More information on the various attachments can be found on page 8.

# BATTERY RANGE

**36V**

**18V + 18V**

## TWIN 18V BLOWER VAC SKIN: 1697574

- Delivers 240 km/h air speed in blower mode
- 36V 600W motor
- Large 45L collection bag
- Vacuum capacity of up to 3m<sup>3</sup>/min
- Mulch & collect
- Runtime of up to 24 minutes\*
- Variable speed trigger
- Front wheels & an ergonomic carry harness allow for easy and comfortable operation
- 5 Year Limited Product Warranty\*\*
- Powered by 2 x Briggs & Stratton® 18V Lithium-Ion Batteries (sold separately)
- Recommended Briggs & Stratton® 18V Batteries: 5.0Ah and 8.0Ah



**36V**

**18V + 18V**

## TWIN 18V CHAINSAW SKIN: 1697267

- High performance Chainsaw with 14" guide bar
- Fast Chain speed - 14.5 metres per second
- Low kickback Oregon® chain
- Low Profile 3/8" Oregon® chain
- Powerful 36V motor
- Tool-free tensioning
- Inertia activated chain brake
- 5 Year Limited Product Warranty\*\*
- Powered by 2 x Briggs & Stratton® 18V Lithium-Ion Batteries (sold separately)
- Recommended Briggs & Stratton® 18V Batteries: 5.0Ah and 8.0Ah



\*\* Terms & conditions apply, see operator's manual or victa.com.au for details.



# BATTERY RANGE

**5 YEAR**  
LIMITED PRODUCT  
WARRANTY

**3 YEAR**  
LIMITED BATTERY  
WARRANTY



## SINGLE 18V CHAINSAW

SKIN: 1697346

**18V**

- High performance chainsaw with 10" guide bar
- Low kickback Oregon® chain
- 130 ml oil tank
- Inertia activated chain brake
- Safety control with trigger lock
- Powerful 600W motor
- Chain speed 7 m/s
- Runtime up to 73 cuts\*
- Weight (without battery) approx. 3.3 kg
- Powered by 1 x Briggs & Stratton® 18V Lithium-Ion Battery (sold separately)
- Recommended Briggs & Stratton® 18V Batteries: 5.0Ah and 8.0Ah



## SINGLE 18V JET BLOWER


SKIN: 1697564

**18V**

- Powerful brushless motor produces up to 410 CFM\*
- Air flow velocity to 178 km/h\*
- Variable speed trigger
- Turbo button supplies additional power
- Dual sided cruise control switch
- Includes additional nozzle heads
- Runtime of up to 19 mins^
- Powered by 1 x Briggs & Stratton® 18V Lithium-Ion Battery (sold separately)
- Recommended Briggs & Stratton® 18V Batteries: 5.0Ah and 8.0Ah



**BONUS NOZZLES**



## 18V BATTERY & CHARGER OPTIONS

- LED display indicator displays charge status
- Charges all Briggs & Stratton® 18V batteries
- USB charging socket

**18V 2.5AH BATTERY**  
1697466



**18V CHARGER**  
1697257



**18V TWIN CHARGER**  
1697256



**NEW**  
**18V 5.0AH USB-C BATTERY**  
1697601



**NEW**  
**18V 8.0AH USB-C BATTERY**  
1697602



\*Depending on the type of material using 1 X 5.0Ah Lithium-Ion battery.

^Tested using Turbo mode with standard nozzle. \*Tested using Turbo mode with concreted nozzle. ^Runtime tested using standard mode with 1 X 5.0Ah Lithium-Ion battery.

# BATTERY RANGE

## SINGLE 18V LINE TRIMMER SKIN: 1697261

18V

- Pivoting head to easily change from trimming to edging
- Adjustable shaft length
- Automatic feed head
- Includes a bonus trimmer spool
- Max RPM 8800
- 300 mm cutting width
- Line diameter of 1.6 mm
- Runtime of up to 110 mins\*
- Weight (without battery) 2.1 kg
- Recommended Briggs & Stratton® 18V Batteries: 2.5Ah, 4.0Ah, 5.0Ah and 8.0Ah



## SINGLE 18V HEDGE TRIMMER SKIN: 1697262

18V

- Effective cutting length 510 mm
- 16 mm cutting capacity
- Dual action blade
- 1300 Strokes Per Minute (SPM)
- Lightweight and balanced design
- Soft grip handle
- Safe and easy to operate
- Runtime of up to 90 mins\*
- Weight (without battery) 2.2 kg
- Recommended Briggs & Stratton® 18V Batteries: 2.5Ah, 4.0Ah, 5.0Ah and 8.0Ah



## SINGLE 18V BLOWER SKIN: 1697260

18V

- Powerful 245 km/h air velocity
- Lightweight and balanced design
- 5 air velocity speeds
- Air flow rate of 2.8 m³/ min
- Easy to operate
- Runtime of up to 30 min\*
- Weight (no battery) 1.4 kg
- Recommended Briggs & Stratton® 18V Batteries: 2.5Ah, 4.0Ah, 5.0Ah and 8.0Ah



\*Depending on operating conditions using 1X 5.0Ah Lithium-Ion battery.

\*\*Conditions apply, see operator's manual or [www.victa.com.au](http://www.victa.com.au) for details.





# LAWN MOWER PRODUCTS



# CORVETTE<sup>TM</sup> STEEL CHASSIS RANGE



SELF PROPELLED



## CORVETTE 400 SELF-PROPELLED 881896

- ReadyStart® Technology – No Prime, No Choke, Smooth Pull-Start!
- Briggs & Stratton 4-stroke 725EXi Series™ engine with QPT™
- Self-Propelled – lever controlled, rear wheel drive technology makes mowing effortless!
- 163cc engine with 9.8Nm\* of engine torque
- Quad blade mulch disc with four swing-back blades
- Durable 19" Victa classic pressed steel cutting deck
- Quiet Power Technology™ – 40% quieter!^
- 10 adjustable cutting heights: 18-66 mm
- 8" Front, 8" rear Aztec wheels
- Ultimate mulching performance



## CORVETTE 400 2691635

- ReadyStart® Technology – No Prime, No Choke, Smooth Pull-Start!
- Briggs & Stratton 4-stroke 725EXi Series™ engine with QPT™
- 163cc engine with 9.8Nm\* of engine torque
- Quad blade mulch disc with four swing-back blades
- Durable 19" Victa Classic pressed steel cutting deck
- Quiet Power Technology™ – 40% quieter!^
- 10 adjustable cutting heights: 18-66 mm
- 8" Front, 8" rear Razor wheels
- Ultimate mulching performance

^Reduction in sound power (LWA) when compared with the Briggs & Stratton 675EX (Quantum) series engine.

\*Power levels are stated gross torque per SAE J1940 as rated by Briggs & Stratton. \*\*All power levels are stated gross torque per SAE J1940 as rated by Victa.

†Terms and conditions apply. See operator's manual or [www.victa.com.au](http://www.victa.com.au) for details. Actual products may vary from images shown.

# CORVETTE

The mower that you know and trust with all the power, strength, and reliability you need.

Your favourite Corvette™ range comes with a state of the art chassis design, comfort grip handlebars and side mounted handles for durability.



6 YEARS  
LIMITED WARRANTY\*



EXCLUSIVE



## CORVETTE 300 2691955

- ReadyStart® Technology– No Prime, No Choke, Smooth Pull-Start!
- Briggs & Stratton 4-stroke 625EXi Series™ engine
- 150cc engine capacity with 8.5Nm\* of engine torque
- Quad blade mulch disc with four swing-back blades
- Durable 18" Victa Classic pressed steel cutting deck
- 10 adjustable cutting heights: 11-70 mm
- 8" Front, 8" rear Razor wheels
- Ultimate mulching performance



## CORVETTE 300 PUSH BUTTON START 2692089

- 18V Start Technology – combine petrol power with the ease of starting, simply push the button
- Briggs & Stratton 4-stroke 625EXi Series™ engine
- 150cc engine capacity with 8.5Nm\* of engine torque
- Quad blade mulch disc with four swing-back blades
- Durable 18" Victa Classic pressed steel cutting deck
- 10 adjustable cutting heights: 11-70 mm
- 8" Front, 8" rear Razor wheels
- Ultimate mulching performance
- Includes Briggs & Stratton 2.5AH battery, charging cable and 65W wall charger

# CORVETTE<sup>TM</sup> STEEL CHASSIS RANGE



## CORVETTE 200 881894

- ReadyStart® Technology – No Prime, No Choke, Smooth Pull-Start!
- Briggs & Stratton 4-stroke OHV 575Ex Series™ engine
- 140cc engine capacity with 7.5Nm\* of engine torque
- Quad blade mulch disc with four swing-back blades
- Durable 18" Victa Classic pressed steel cutting deck
- 10 adjustable cutting heights: 11-70 mm
- 8" Front, 8" rear Razor wheels
- Ultimate mulching performance



## CORVETTE PUSH BUTTON START V144 2692038

- Petrol power combined with the ease of 18V starting technology, starts at the press of a button!
- Powered by Victa 4-stroke OHV 144 Series™ Engine
- 144cc engine with 7.8Nm\*\* of engine torque
- Dual swing-back blades
- Durable 18" Victa classic pressed steel chassis
- 10 adjustable cutting heights: 11-70 mm
- 8" Front, 8" rear Razor wheels
- Mulch or Catch
- Includes one Briggs & Stratton 18V 2.5Ah battery, charging cable and 65W wall charger

<sup>^</sup>Reduction in sound power (LWA) when compared with the Briggs & Stratton 675EX (Quantum) series engine.

\*Power levels are stated gross torque per SAE J1940 as rated by Briggs & Stratton. \*\*All power levels are stated gross torque per SAE J1940 as rated by Victa.

\*Terms and conditions apply. See operator's manual or [www.victa.com.au](http://www.victa.com.au) for details. Actual products may vary from images shown.





6 YEARS  
LIMITED WARRANTY\*



EXCLUSIVE



## CORVETTE 100 2691845

- ReadyStart® Technology – No Prime, No Choke, Smooth Pull-Start!
- Briggs & Stratton 4-stroke OHV 575EX Series™ engine
- 140cc engine capacity with 7.5Nm\* of engine torque
- Dual swing-back blades
- Durable 18" Victa Classic pressed steel cutting deck
- 10 adjustable cutting heights: 11-70 mm
- 8" Front, 8" rear Razor wheels
- Cut & Catch



## CORVETTE V144 2691875

- Powered By Victa 4-stroke OHV V144 Series™ engine
- 144cc engine with 7.8Nm\*\* of engine torque
- Dual swing-back blades
- Durable 18" Victa Classic pressed steel cutting deck
- 10 adjustable cutting heights: 11-70 mm
- 8" Front 8" rear Razor wheels
- Mulch or Catch

# MUSTANG

## MUSTANG<sup>TM</sup> ALLOY RANGE

A Victa cast-alloy 19" chassis powered by a reliable Briggs & Stratton® engine delivers the power you need to get the job done.

All Mustang models feature corrosion resistant alloy cutting decks, ideal for high humidity environments, coastal areas, or lawns that are regularly fertilised.



## MUSTANG SELF-PROPELLED 881908

- ReadyStart® Technology - No Prime, No Choke, Smooth Pull-Start!
- Briggs & Stratton 4-stroke 725EXi Series™ engine with QPT™
- Self-Propelled – lever controlled, rear wheel drive technology makes mowing effortless!
- 163cc engine capacity with 9.8Nm\* of engine torque
- Quad blade mulch disc with four swing-back blades
- Durable 19" alloy cutting deck, with true edge-to-edge cutting
- Quiet Power Technology™ – 40% quieter!^
- 10 adjustable cutting heights: 12-71 mm
- 8" Front, 8" rear Aztec wheels
- Ultimate mulching performance



**5 YEARS  
LIMITED WARRANTY†**



^Reduction in sound power (LWA) when compared with the Briggs & Stratton 675EX (Quantum) series engine.

\*Power levels are stated gross torque per SAE J1940 as rated by Briggs & Stratton.

†Terms and conditions apply. See operator's manual or [www.victa.com.au](http://www.victa.com.au) for details. Actual products may vary from images shown.



## MUSTANG 850 881925

- ReadyStart® Technology - No Prime, No Choke, Smooth Pull-Start!
- Briggs & Stratton 4-stroke 850 Series I/C® engine
- 190cc engine capacity with 11.5Nm\* of engine torque
- Quad blade mulch disc with four swing-back blades
- Durable 19" alloy cutting deck, with true edge-to-edge cutting
- 10 adjustable cutting heights: 12-71 mm
- 8" Front, 8" rear Aztec wheels
- Ultimate mulching performance



## MUSTANG 881907

- ReadyStart® Technology - No Prime, No Choke, Smooth Pull-Start!
- Briggs & Stratton 4-stroke 725EXi Series™ engine with QPT™
- 163cc engine capacity with 9.8Nm\* of engine torque
- Quad blade mulch disc with four swing-back blades
- Durable 19" alloy cutting deck, with true edge-to-edge cutting
- Quiet Power Technology™ – 40% quieter!^
- 10 adjustable cutting heights: 12-71mm
- 8" Front, 8" rear Aztec wheels
- Ultimate mulching performance



# RESIDENTIAL SPECIFICATIONS

BRAND	Corvette	Corvette	Corvette	Corvette	Corvette	
Model	2691875	2691845	881894	2692038	2691955	
Product	Corvette V144	Corvette 100 B&S	Corvette 200	Corvette PBS V144	Corvette 300	
Type	Push	Push	Push	Push	Push	
Engine	Victa 144 Series™	Briggs & Stratton 575EX Series™	Briggs & Stratton 575EX Series™	Victa 144 Series™	Briggs & Stratton 625EXi Series™	
Engine Capacity	144cc^	140cc*	140cc^	144cc^	150cc*	
Torque	7.8Nm	7.5Nm	7.5Nm	7.8Nm	8.5Nm	
Start	Easy Start	ReadyStart®	ReadyStart®	Push Button Start	ReadyStart®	
Cutting Width	18" (460mm)	18" (460mm)	18" (460mm)	18" (460mm)	18" (460mm)	
Chassis	Steel	Steel	Steel	Steel	Steel	
Cutting Height	11-70mm	11-70mm	11-70mm	11-70mm	11-70mm	
Blade	Dual Swing-Back Blade	Dual Swing-Back Blade	Four Swing-Back Blade	Dual Swing-Back Blade	Four Swing-Back Blade	
Cutting Positions	10	10	10	10	10	
Mulching Capability	Mulch and Catch	Cut and Catch	Mulch and Catch	Mulch and Catch	Mulch and Catch	
Net Weight (kg)	28	28	28	29	28	
Catcher	Durable Hard Plastic	Durable Hard Plastic	Durable Hard Plastic	Durable Hard Plastic	Durable Hard Plastic	
Catcher Size	45L	45L	45L	45L	45L	
Washport	No	No	Yes	No	Yes	

\*Power levels are stated gross torque per SAE J1940 as rated by Briggs & Stratton.  
^ Power levels are stated gross torque per SAE J1940 as rated by Victa.

	Corvette	Corvette	Corvette	Mustang	Mustang	Mustang
	2692089	2691635	881896	881907	881925	881908
	Corvette 300 PBS	Corvette 400	Corvette 400 SP	Mustang	Mustang 850	Mustang SP
	Push	Push	Self-Propelled	Push	Push	Self-Propelled
	Briggs & Stratton 625EXi Series™	Briggs & Stratton 725EXi Series™	Briggs & Stratton 725EXi Series™	Briggs & Stratton 725EXi Series™	Briggs & Stratton 850 Series I/C®	Briggs & Stratton 725EXi Series™
	150cc*	163cc*	163cc*	163cc*	190cc*	163cc*
	8.5Nm	9.8Nm	9.8Nm	9.8Nm	11.5Nm	9.8Nm
	Push Button Start	ReadyStart®	ReadyStart®	ReadyStart®	ReadyStart®	ReadyStart®
	18" (460mm)	19" (480mm)	19" (480mm)	19" (480mm)	19" (480mm)	19" (480mm)
	Steel	Steel	Steel	Alloy	Alloy	Alloy
	11-70mm	18-66mm	18-66mm	12-71mm	12-71mm	12-71mm
	Four Swing-Back Blade	Four Swing-Back Blade	Four Swing-Back Blade	Four Swing-Back Blade	Four Swing-Back Blade	Four Swing-Back Blade
	10	10	10	10	10	10
	Mulch and Catch	Mulch and Catch	Mulch and Catch	Mulch and Catch	Mulch and Catch	Mulch and Catch
	30	35	36	32	36	36
	Durable Hard Plastic	Durable Hard Plastic	Durable Hard Plastic	Durable Hard Plastic	Durable Hard Plastic	Durable Hard Plastic
	45L	45L	45L	45L	45L	45L
	Yes	Yes	Yes	Yes	Yes	Yes



# COMMERCIAL RANGE

No lawn is too tough for Victa's professional grade commercial lawn mowers. Heavy duty performance resulting in clean, tidy lawns. These mowers are designed to ensure extended use in extreme conditions.



**SELF-PROPELLED**



## VICTA COMMERCIAL 21" 2691600

- Briggs & Stratton® 850 I/C OHV PXi Series engine
- 190cc performance with 11.5Nm\* of torque
- 21" (530 mm) Cast alloy cutting deck
- Commercial quality Self-Propelled system with 4.5 km/h ground speed
- Textured, adjustable height handlebar for user comfort
- Heavy duty front bumper and side wear strips
- 10 adjustable cutting heights: 9-68 mm
- 2 Year Commercial Engine & Chassis Warranty\*
- 1 Year Commercial Gearbox Warranty\*



\*\*Power levels are stated gross torque per SAE J1940 as rated by Victa.

\*Terms and conditions apply. See owners manual or [victa.com.au](http://victa.com.au) for details.





## VICTA MULCHMASTER 560 2691588

- Briggs & Stratton® 850 I/C OHV PXi Series engine
- 190cc performance with 11.5Nm\* of torque
- 22" (560 mm) Cast alloy chassis
- Variable speed Self-Propelled from 3.4-5.7 km/h
- Heavy duty front bumper
- Easily changeable from mulching to side discharge
- 10 adjustable cutting heights: 18-74 mm
- 2 Year Commercial Engine & Chassis Warranty\*
- 1 Year Commercial Gearbox Warranty\*



## VICTA UTILITY 2691779/2691780

- Available with a Briggs & Stratton 500E Series™ or 725EXi Series™ engine
- 18" (460 mm) lightweight steel cutting deck
- 8" (200 mm) double ball bearing wheels
- Low profile design
- 8 adjustable cutting heights: 22-88 mm
- 5 Year Domestic Use Warranty\*
- 6 Month Commercial Use Warranty\*

# COMMERCIAL SPECIFICATIONS

Model	2691600	2691588	2691779	2691780
Product	Commercial 21"	Mulchmaster	Utility 500	Utility 725
Type	Self-Propelled	Self-Propelled	Push	Push
Engine	Briggs & Stratton® 850 I/C OHV PXi Series	Briggs & Stratton® 850 I/C OHV PXi Series	Briggs & Stratton 500E Series™	Briggs & Stratton 725EXi Series™
Engine Capacity*	190cc	190cc	140cc	163cc
Torque	11.5Nm	11.5Nm	7.5Nm	9.8Nm
Start	Ready Start	Ready Start	Ready Start	Ready Start
Cutting Width	21" (530mm)	22" (560mm)	18" (460mm)	18" (460mm)
Chassis	Alloy	Alloy	Steel	Steel
Blade	Dual Swing-Back Blade	Dual Swing-Back Blade	Dual Swing-Back Blade	Dual Swing-Back Blade
Cutting Height	9-68mm	18-74mm	22-88mm	22-88mm
Cutting Positions	10	10	8	8
Mulching Capability	Mulch and Catch	Side Discharge	Side Discharge	Side Discharge
Net Weight (kg)	46	41	23	24
Catcher	Fabric with reinforced base	NA	NA	NA

\*Power levels are stated gross torque per SAE J1940 as rated by Briggs & Stratton.

\*Terms and conditions apply. See owners manual or victa.com.au for details.

# BATTERY MOWER RANGE

The Victa battery mower range delivers the power and resilience to cut through grass with ease, helping you maintain a perfect lawn. Easy to start, lower noise and minimal maintenance the Victa battery range will have you off and mowing in no time.

The chassis design and quality blades means it's still tough enough to get through thick or damp grass.

The Briggs & Stratton® 18V batteries are interchangeable across any Victa battery products including trimmers, hedgers and blowers.

**5 YEAR**  
LIMITED PRODUCT  
WARRANTY

**3 YEAR**  
LIMITED BATTERY  
WARRANTY



**CORVETTE**



**36V**

**18V + 18V**

## CORVETTE 19" TWIN 18V 1400W ALLOY SKIN 2692035

- Corrosion resistant 19" Alloy cutting deck
- 36V (2 x 18V) 1400W Briggs & Stratton® Powerhead
- Runtime up to 48 mins<sup>^</sup> (5.0Ah) or 1 hr 23 mins<sup>^</sup> (8.0Ah)
- Load Sensing Technology
- Easy view power gauge
- Victa 50L durable hard catcher with adjustable vents
- Brushless motor
- 10 adjustable cutting heights: 11-80 mm
- 480 mm cutting deck
- Cut, Catch & Mulch
- 8" Front, 8" rear Aztec wheels
- Dual swing-back blades
- Powered by 2 x Briggs & Stratton® 18V Lithium-Ion Batteries (sold separately)
- Recommended Briggs & Stratton® 18V Batteries: 5.0Ah and 8.0Ah



**ALLOY**  
**19" CHASSIS**

<sup>^</sup>Static runtime quoted, tested with 2 x Lithium-Ion batteries.

<sup>\*\*</sup>Conditions apply, see operator's manual or [www.victa.com.au](http://www.victa.com.au) for details.

## CORVETTE 18" TWIN 18V 1200W SKIN 2691861



**36V**  
18V + 18V

- Durable 18" Victa classic pressed steel chassis
- 36V (2 x 18V) 1200W Briggs & Stratton® Powerhead
- Runtime up to 40 mins<sup>^</sup>
- Load Sensing Technology
- Easy view power gauge
- Victa 42L durable hard catcher with adjustable vents
- Brushless motor
- 10 adjustable cutting heights: 11-70 mm
- 460 mm cutting deck
- Cut & Catch
- 8" Front, 8" rear Aztec wheels
- Dual swing-back blades
- Powered by 2 x Briggs & Stratton® 18V Lithium-Ion Batteries (sold separately)
- Recommended Briggs & Stratton® 18V Batteries: 5.0Ah and 8.0Ah



## CORVETTE 16" TWIN 18V 900W SKIN 2691891



**36V**  
18V + 18V

- Durable 16" pressed steel chassis
- 36V (2 x 18V) 900W Briggs & Stratton® Powerhead
- Runtime up to 55 mins<sup>^</sup>
- Load Sensing Technology
- Easy view power gauge
- 40L Hardtop fabric catcher
- Brushless motor
- 7 adjustable cutting heights: 24-74 mm
- 400 mm cutting deck
- Cut & Catch
- 6.5" Front, 6.5" rear wheels
- Bar blade
- Powered by 2 x Briggs & Stratton® 18V Lithium-Ion Batteries (sold separately)
- Recommended Briggs & Stratton® 18V Batteries: 5.0Ah and 8.0Ah



## CORVETTE 14" SINGLE 18V 600W KIT 2691748



**18V**

**BATTERY  
& CHARGER  
INCLUDED**



- Compact and lightweight 14" (37cm) plastic chassis
- 18V 600W Briggs & Stratton® Powerhead
- Runtime up to 45 mins<sup>^</sup>
- Load Sensing Technology
- Easy view power gauge
- 40L Hardtop fabric catcher
- 7 adjustable cutting heights: 25-75 mm
- Cut, Catch & Mulch
- Bar blade
- Mulch plug sold separately
- Includes 1 x 18V 4.0Ah Briggs & Stratton® battery and single charger





# BATTERY MOWER SPECIFICATIONS

Model	2691748	2691891	2691861	2692035
Type	Kit	Skin	Skin	Skin
Power	600W	900W	1200W	1400W
Voltage	18V	2 x 18V (36V)	2 x 18V (36V)	2 x 18V (36V)
Runtime	Up to 45 mins*	Up to 55 mins^	Up to 40 mins^	Up to 48 mins^
Blade Speed	3500 RPM	3200 RPM	3200 RPM	3200 RPM
Cutting Width	14" (370mm)	16" (400m)	18" (460mm)	19" (480mm)
Chassis	Plastic	Steel	Steel	Alloy
Blade	Bar	Bar	Dual Swing-Back	Dual Swing-Back
Cutting Height	25-75mm	24-74mm	11-70mm	11-80mm
Cutting Positions	7	7	10	10
Catcher	Hardtop Fabric	Durable Hard Plastic	Durable Hard Plastic	Durable Hard Plastic
Catcher Size	40L	40L	42L	50L
Net Weight (kg) **	17	18	18	26

\* Runtime is based on using a 5.0Ah Battery. For additional runtime use 8.0Ah battery.

\*\* Without battery

^Static run time quoted, tested with 1 x 5.0Ah Lithium-Ion battery.

^Static run time quoted, tested with 2 x Lithium-Ion batteries.



# VICTA<sup>®</sup> ROBOT MOWER

## FOR THE PERFECT LAWN IN NO TIME.

For a perfect lawn all year around, the RM100 is a programmable and automated Robot Mower that will help turn your grass into the perfect lawn.



## ROBOT MOWER RM100 2691783

- Easy to set up and run - no-hassle implementation
- Fully programmable - manage when and for how long the Robot Mower cuts
- Quiet operation - you won't know it's on
- Bump sensor system, detects objects - safe for children and pets
- Covers up to 600m<sup>2</sup> of open yard
- Can be set up to cut 4 separate zones
- Rain sensor
- Anti-theft alarm
- 2 Year Domestic Limited Warranty\*

\*Terms & conditions apply, see operator's manual or [victa.com.au](http://victa.com.au) for details.



# GOLD DEALER EXPERIENCE.



Victa® Gold Dealers are specialists in outdoor power equipment. They have years of expertise in sales, support and servicing of a wide range of equipment from Victa.

As an added benefit, when you buy any Victa petrol powered product from a Victa Gold Dealer, it can be assembled, oiled and fuelled ready to go.

Victa Gold Dealers provide a complete ongoing service for your every need.

Whether you're buying new equipment or need your equipment serviced, you can always rely on their service and expertise.

For advice you can trust, servicing expertise and competitive pricing, you can't beat a Victa Gold Dealer.







# RIDE-ON & ZERO TURN MOWERS



# EASY TO USE. EASY TO OWN.

With 75 years experience turning Aussie grass into lawn, Victa's range of ride-on and zero turn mowers are designed to help you keep your backyard looking great in comfort, whether a large residential, or acreage block. Speak to an expert today to learn which Victa model best suits your needs.

## WHY CHOOSE A VICTA DEALER



### 1. EXPERT SERVICE AND ADVICE

You will always be in good hands at your local Victa dealer. Your specialist dealer is your local expert for all things mower sales, parts and service.



### 2. TEST DRIVE

Your local dealer can arrange a test drive and provide operator and safety demonstrations.



### 3. HASSLE-FREE PURCHASE

At a Victa dealer, you will be up and running in no time! Your dealer is able to assist with set-up and delivery of your new mower.



### 4. SERVICE SUPPORT

To maximise the performance of your Victa mower, Victa dealers stock a huge range of genuine parts and accessories. All work is completed by factory trained service technicians using customised tooling.

# VICTA® MINI-RIDE



## TRUSTED POWER

A 223cc Briggs & Stratton PXi Series™ engine with electric key starting for reliability and convenience.



## VERSATILE PERFORMANCE

Cutting height is easily selected and ranges from 3.2 - 9.5 cm (1.25-3.75") to leave your lawn looking great.



## CHOICE OF DRIVE

Choose either a manual transmission with 4 forward & 1 reverse gear, or the simplicity of foot pedal hydrostatic drive.



## KEEP IT CLEAN

The hydrostatic drive model is available in a catching version. 130L capacity for less stops and a beautiful finish.



## COMPACT CUTTING

A robust 610 mm (24") wide cutting deck combined with a narrow footprint allows you to mow larger areas, but still fit through gates and narrow spaces with ease.



## EASY CLEANUP

All models include a washport garden hose connector to make cleaning the deck a breeze.

### MINI-RIDE 950 G 2691868

- 223cc Briggs & Stratton 950PXi Series™
- 4 Forward 1 Reverse Gear
- 24" Side Discharge Cutting Deck
- 2 Year Limited Warranty†

### MINI-RIDE 1000 H 2691869

- 223cc Briggs & Stratton 1000PXi Series™
- Foot Operated Hydrostatic Transaxle
- 24" Side Discharge Cutting Deck
- 2 Year Limited Warranty†

### MINI-RIDE 1000 HC 2691873

- 223cc Briggs & Stratton 1000PXi Series™
- Foot Operated Hydrostatic Transaxle
- 24" Cutting Deck
- 130L Catcher
- 2 Year Limited Warranty†

†Terms and conditions apply. See operator's manual or dealer for complete warranty details.



# VSX SERIES SMALL TRACTORS

Victa's VSX range of ride-on mowers offer a complete range of small and large tractors, with features for every user.



## STAY IN COMMAND

Keyswitch, throttle control, park brake, and reverse mowing control (RMO) are all conveniently located for the operator. For late afternoon mows, LED headlights light the way.



## STAMPED STEEL MOWER DECK

Your choice of 38" (96 cm) or 42" (106 cm) cutting decks. All models feature a standard mulching kit, and a washport for easy cleaning.



## EASY TO USE

Intuitive heel & toe foot control for forward, reverse and speed control. Hydrostatic drive is standard across the range for smooth operation.



## TRUSTED POWER

Powered by reliable Briggs & Stratton engines. The 42" model is available with a V-Twin option for more power, and lower vibration operation.

### VSX 15.5/38 38" STAMPED DECK 15.5 GROSS HP\*

- Briggs & Stratton 4175 EX Series™ OHV Engine
- Hydro-Gear T2 Hydrostatic Transaxle
- 2 Year Limited Warranty†

### VSX 17.5/42 42" STAMPED DECK 17.5 GROSS HP\*

- Briggs & Stratton 4195 EX Series™ OHV Engine
- Hydro-Gear T2 Hydrostatic Transaxle
- 2 Year Limited Warranty†

### VSX 20/42 42" STAMPED DECK 20 GROSS HP\*

- Briggs & Stratton 2000 EXi Series™ V-Twin Engine
- Hydro-Gear T2 Hydrostatic Transaxle
- 2 Year Limited Warranty†

\*Power levels are stated gross horsepower per SAE J1940 as rated by Briggs & Stratton. †See operator's manual or dealer for complete warranty details.

# VSX SERIES LARGE TRACTORS

The Victa VSX range continues to grow with the addition of a new fabricated cutting deck model, and a new rear catching model. Both with unique features for performance.



## TOUGH FABRICATED CUTTING DECK

The 42" model features a durable fabricated cutting deck for durability year after year.



## A CLEAN SWEEP BY VICTA

The rear catching model features a 34" (86cm) cutting deck and big 245 litre capacity grass catcher.



## STAY IN CONTROL

Ergonomically designed controls are placed in easy reach. An electric blade engagement is easy to use and extends the life of the cutter belt.



## STEP ON IT

Responsive foot pedals give you hands-free control over forward and reverse speed. RMO allows you to mow in reverse.



## TRUSTED POWER

Powered by Briggs & Stratton engines for trouble-free performance.



## A VERSATILE WORKMATE

All models include a standard mulching kit. The 42" model also features a standard towbar for attaching a small trailer (optional on rear catching model).

### VSX 20/42F 42" FABRICATED DECK 20 GROSS HP\*

- Briggs & Stratton 2000 EXi Series™ V-Twin OHV Engine
- Tuff-Torq® K46 Hydrostatic Transaxle
- 42" Fabricated Cutting Deck
- 2 Year Limited Warranty\*

### VSX 17.5/34C 34" REAR CATCHING 17.5 GROSS HP\*

- Briggs & Stratton 4195 EX Series™ OHV Engine
- Tuff-Torq® K46 Hydrostatic Transaxle
- 34" Rear Catching Deck with Counter-Rotating Blades
- 2 Year Limited Warranty\*

\*Power levels are stated gross horsepower per SAE J1940 as rated by Briggs & Stratton. \*See operator's manual or dealer for complete warranty details.



# ZERO TURNS



## COMMERCIALLY INSPIRED

Features like foot-controlled deck lift, welded front axle, and removable floor pan which are usually reserved for use on commercial machines.



## DEPENDABLE POWER

The Briggs & Stratton 2400 PXi Series 24HP\* V-Twin Engine provides smooth, efficient power and performance year after year.



## THE CHOICE IS YOURS

42" (106cm) mower decks are available with the option of pressed steel construction, or heavy duty fabricated construction.



## STAY IN CONTROL

The control panel features throttle, choke and electronic PTO controls. There's also USB A & C ports for charging your device on the go, and an hour meter for keeping track of maintenance.



## FUELLED UP

13 Litre fuel tank with a large, high opening for easy top-ups. Fuel is drawn from the top of the tank for improved safety and reduced filter maintenance.



## BUILT TOUGH

All the quality you'd expect from Victa, with a large wraparound rear bumper, metal mud guards, Hydro-Gear ZT-2200 transaxles and large tyres front & rear.

### ZTX 24/42 42" PRESSED STEEL DECK 24 GROSS HP\*

- Briggs & Stratton 2400 PXi Series™ V-Twin Engine
- Hydro-Gear® ZT-2200 Hydrostatic Transaxles
- 42" (106cm) Pressed Steel Cutting Deck
- Mulching Kit Included

### ZTX 24/42F 42" FABRICATED DECK 24 GROSS HP\*

- Briggs & Stratton 2400 PXi Series™ V-Twin Engine
- Hydro-Gear® ZT-2200 Hydrostatic Transaxles
- Welded and Reinforced 42" (106cm) Cutting Deck
- Mulching Kit Included

\*Power levels are stated gross horsepower per SAE J1940 as rated by Briggs & Stratton.



# INTRODUCING THE REVOLUTIONARY VICTA E-RIDE AND E-ZTR

Victa is thrilled to unveil the E-Ride, and new Victa E-ZTR. Both models represent a remarkable leap forward in lawn maintenance. Designed with state-of-the-art electric technology, these mowers offer a smooth, quiet, and efficient mowing experience while treading lightly on our environment.

## E-RIDE

### E-RIDE

#### 38" STAMPED DECK

#### 2.5 KWH LFP BATTERY 2692042

- 51.2V Lithium Iron Phosphate Battery
- 38" Cutter Deck
- 50Ah Capacity (2.5 kWh total)
- 1.5 Acres Per Charge\*
- Brushless Drive Motors
- Brushless Deck Motors
- Reverse Mowing
- Catcher Kit Available (Sold Separately)
- Mulching Kit Included



## E-ZTR

### E-ZTR

#### 42" STAMPED DECK

#### 5.0 KWH LFP BATTERY 2692062

- 51.2V Lithium Iron Phosphate Battery
- 42" Cutter Deck
- 100Ah Capacity (5 kWh total)
- 4 Acres Per Charge\*
- Customisable Ground Speed, Blade Speed, and Steering Modes
- Brushless Drive Motors and Deck Motors
- Suspension Seat
- USB Charging on Board
- Mulching Kit Included



BATTERY RIDE-ON & ZERO TURN MOWERS

\*As tested by Victa in grass cutting conditions. Run time and cutting area is dependent on actual cutting conditions including ground speed, and length/type of grass being cut

# MINI-RIDE SPECIFICATIONS

Model	Mini-Ride 950G 2691868	Mini-Ride 1000H 2691869	
Engine			
Brand	Briggs & Stratton 950PXi Series™	Briggs & Stratton 1000PXi Series™	
Gross Torque* / Cylinders	13.56 / 1	13.56 / 1	
Engine Displacement (cc)	223	223	
Starter	Electric key start and secondary recoil start	Electric key start and secondary recoil start	
Choke Control	Integrated	Integrated	
Fuel Tank	1.1 Litres	1.1 Litres	
Drive			
Transaxle	Peerless 4 Speed gear drive	Hydro-Gear® T1 Hydrostatic	
Maximum Speed (fwd)	4.5 km/h	6.0 km/h	
Maximum Speed (rev)	1.5 km/h	3.5 km/h	
Speed control	Hand operated gear selector	Heel & toe foot pedals	
Chassis			
Frame	1 piece steel	1 piece steel	
Front Axle	Steel tube	Steel tube	
Front Tyres (Inches)	11 x 4-5	11 x 4-5	
Rear Tyres (Inches)	13 x 5-6	13 x 5-6	
Turning Radius	62 cm	62 cm	
Seat Type	Low-back	Low-back	
Cup Holder	No	No	
Catcher Capacity	N/A	N/A	
Catcher Full Alarm	N/A	N/A	
Mower Deck			
Deck Type	Pressed steel	Pressed steel	
Cutting Width	24" (60 cm)	24" (60 cm)	
Deck Thickness	2.5 mm (12 Ga.)	2.5 mm (12 Ga.)	
Blade Spindle	Steel 4 bolt housing	Steel 4 bolt housing	
Blade Engagement	Lever	Lever	
Reverse Mowing Operation (RMO)	No	Yes	
Height-of-Cut Positions	4	4	
Height-of-Cut Range (Indicative)	3.2 - 9.5 cm (1.25 - 3.75")	3.2 - 9.5 cm (1.25 - 3.75")	
Cutting Height Adjustment	Hand operated	Hand operated	
Mulching Kit	N/A	N/A	
Dimensions (with chute raised)			
Length x Width x Height (cm)	148.5 x 80.4 x 105	148.5 x 80.4 x 105	
Domestic Limited Warranty†			
Engine	2 Years	2 Years	
Balance of Mower	2 Years	2 Years	

\* Power levels are stated gross torque per SAE J1940 as rated by Briggs & Stratton.

†Terms & conditions apply. See operator's manual or dealer for complete warranty details.

# E-RIDE & E-ZTR SPECIFICATIONS

Mini-Ride 1000HC 2691873	
Briggs & Stratton 1000PXi Series™	
13.56 / 1	
223	
Electric key start and secondary recoil start	
Integrated	
1.1 Litres	
Hydro-Gear® T1 Hydrostatic	
6.0 km/h	
3.5 km/h	
Heel & toe foot pedals	
1 piece steel	
Steel tube	
11 x 4-5	
13 x 5-6	
62 cm	
Low-back	
No	
130 Litres	
Yes	
Pressed steel	
24" (60 cm)	
2.5 mm (12 Ga.)	
Steel 4 bolt housing	
Lever	
Yes	
4	
3.2 - 9.5 cm (1.25 - 3.75")	
Hand operated	
N/A	
183 x 80.4 x 105	
2 Years	
2 Years	

Model	E-Ride 2692042	E-ZTR 2692062
Battery		
Battery Type	Lithium Iron Phosphate (LFP) technology	
Battery Voltage (rated)	51.2 V	
Peak Battery Output	56 V	
Battery Capacity	2.5 kWh	5.0 kWh
Productivity	1.5 Acres per charge**	4 Acres per charge**
Total Run Time	90 minutes	150 minutes
Charging Time to 100%	3 hr 15 minutes	6 hr 45 minutes
Chassis		
Drive Motor/s	1	2
Drive Motor Type	DC - Brushless	DC - Brushless
Ground Speed Modes	1	4
Maximum Mowing Speed (fwd)	8.0 km/h	9.6 km/h
Maximum Transport Speed (fwd)	12.9 km/h	12.9 km/h
Maximum Reverse Speed	4.8 km/h	4.8 km/h
Cruise Control	Yes	N/A
Front Tyres (Inches)	15 x 5-6	11 x 4-5
Rear Tyres (Inches)	16 x 6.5-8	18 x 8.5-8
Seat Type	Mid-back	Mid-back
Suspension Seat	No	Yes
Headlight/s	1, LED	2, LED
USB Port	Yes, Type A	Yes, Type A
Mower Deck		
Deck Type	Pressed steel	Pressed steel
Cutting Width	38" (96 cm)	42" (106 cm)
Deck Motors	2	2
Deck Motor Type	DC - Brushless	DC - Brushless
Blade Speed Modes	1	4
Available Blade Speed/s	3500 RPM	2600/2800/3000/3200 RPM
Height-of-Cut Positions	12	10
Height-of-Cut Range (Indicative)	3.8 - 11.4 cm (1.5 - 4.5")	3.8 - 11.4 cm (1.5 - 4.5")
Reverse Mowing Operation (RMO)	Y	N/A
Mulching Kit	Included	Included
Grass Catcher	Optional	N/A
Dimensions (with chute raised)		
Length x Width x Height (cm)	161 x 96 x 115.5	177.8 x 106 x 101.6
Domestic Limited Warranty*		
Battery and Charger	2 Years	2 Years
Balance of Mower	2 Years	2 Years

\*\* At 80% efficiency as tested by Victa in grass cutting conditions. Run time and cutting area is dependent on actual cutting conditions including ground speed, and length/type of grass being cut



# VSX RIDE-ON SPECIFICATIONS

Model	VSX 15.5/38 2691870	VSX 17.5/42 2691871	VSX 20/42 2691872	VSX 20/42F 2692068	
Engine					
Brand	Briggs & Stratton EX Series™ OHV	Briggs & Stratton EX Series™ OHV	Briggs & Stratton EXi Series™ V-Twin	Briggs & Stratton EXi Series™ V-Twin	
Gross Horsepower* / Cylinders	15.5 / 1	17.5 / 1	20 / 2	20 / 2	
Engine Displacement (cc)	500	500	656	656	
Starter	Electric	Electric	Electric	Electric	
Choke Control	Integrated	Integrated	Integrated	Integrated	
Fuel Tank	7.5 Litres	7.5 Litres	7.5 Litres	7.5 Litres	
Drive					
Transaxle	Hydro-Gear® T2 Hydrostatic	Hydro-Gear® T2 Hydrostatic	Hydro-Gear® T2 Hydrostatic	Tuff-Torq® K46 Hydrostatic	
Maximum Speed (fwd)	8.3 km/h	8.3 km/h	8.3 km/h	10.6 km/h	
Maximum Speed (rev)	2.5 km/h	2.5 km/h	2.5 km/h	5.6 km/h	
Speed Control	Heel & toe foot pedals	Heel & toe foot pedals	Heel & toe foot pedals	Heel & toe foot pedals	
Chassis					
Front Axle	Steel	Steel	Steel	Steel	
Front Tyres (Inches)	15 x 6-6	15 x 6-6	15 x 6-6	15 x 6-6	
Rear Tyres (Inches)	18 x 8.5-8	18 x 8.5-8	18 x 8.5-8	18 x 8.5-8	
Turning Radius	45 cm	45 cm	45 cm	50 cm	
Tow Hitch	Standard	Standard	Standard	Included	
Headlights	Yes - LED	Yes - LED	Yes - LED	Yes - LED	
Seat Type	Mid-back	Mid-back	Mid-back	Mid-back	
Cup Holder	Yes	Yes	Yes	Yes	
Catcher Capacity	N/A	N/A	N/A	N/A	
Catcher Full Alarm	N/A	N/A	N/A	N/A	
Mower Deck					
Deck Type	Pressed Steel	Pressed Steel	Pressed Steel	Fabricated Steel	
Cutting Width	38" (96 cm)	42" (106 cm)	42" (106 cm)	42" (106 cm)	
Spindle Housings	Cast aluminium 4 Mounting bolts	Cast aluminium 4 Mounting bolts	Cast aluminium 4 Mounting bolts	Cast aluminium 4 Mounting bolts	
Blade Engagement	Lever	Lever	Lever	Electric PTO	
Reverse Mowing Operation (RMO)	Yes	Yes	Yes	Yes	
Height-of-Cut Positions	7	7	7	7	
Height-of-Cut Range (Indicative)	2.5 - 8.5 cm (1.0 - 3.35")	2.5 - 8.5 cm (1.0 - 3.35")	2.5 - 8.5 cm (1.0 - 3.35")	3.0 - 9.0 cm (1.25 - 3.5")	
Cutting Height Adjustment	Hand operated	Hand operated	Hand operated	Hand operated	
Anti-Scalp Wheels	2	2	2	4	
Mulching Kit	Included	Included	Included	Included	
Dimensions (with chute raised)					
Length x Width x Height (cm)	173 x 107 x 105	173 x 117 x 105	173 x 117 x 105	169.5 x 112 x 111	
Domestic Limited Warranty†					
Engine	2 Years	2 Years	2 Years	2 Years	
Balance of Mower	2 Years	2 Years	2 Years	2 Years	

\*Power levels are stated gross horsepower per SAE J1940 as rated by Briggs & Stratton.

†Terms & conditions apply. See operator's manual or dealer for complete warranty details.

# ZERO TURN SPECIFICATIONS

VSX 17.5/34C 2692069	
	Briggs & Stratton EX Series™ OHV
	17.5 / 1
	500
	Electric
	Integrated
	7.5 Litres
	Tuff-Torq® K46 Hydrostatic
	10.6 km/h
	5.6 km/h
	Heel & toe foot pedals
	Steel
	15 x 6-6
	18 x 8.5-8
	50 cm
	Optional
	Yes - LED
	Mid-back
	Yes
	245 L
	Yes
	Pressed Steel
	34" (86 cm)
	Cast aluminium 4 Mounting bolts
	Electric PTO
	Yes
	7
	3.0 - 9.0 cm (1.25 - 3.5")
	Hand operated
	2
	Included
	230.5 x 96 x 111
	2 Years
	2 Years

Model	ZTX 24/42 2692071	ZTX 24/42F 2692072
Engine		
Brand	Briggs & Stratton 2400 PXi Series™ V-Twin	
Gross Horsepower* / Cylinders	24 / 2	
Engine Displacement (cc)	724	
Starter	Electric	
Choke Control	Remote, on control panel	
Fuel Tank	13 Litres	
Drive		
Transaxles	Hydro-Gear® ZT-2200	Hydro-Gear® ZT-2200
Turning Radius	Zero	Zero
Parking Brake	Automatic	Automatic
Maximum Speed (fwd)	11.3 km/h	11.3 km/h
Maximum Speed (rev)	7.5 km/h	7.5 km/h
Productivity at 80% Efficiency^	2.25 Acres / hr	2.25 Acres / hr
Chassis		
Front Axle	Welded steel, fixed	Welded steel, fixed
Front Tyres (Inches)	11 x 6-5	11 x 6-5
Rear Tyres (Inches)	18 x 8.5-8	18 x 8.5-8
Rear Bumper with Tow Hitch	Yes	Yes
Seat Type	Mid-back	Mid-back
Hour Meter	Yes	Yes
Cup Holder	Yes	Yes
USB Port	Yes, Type A & C	Yes, Type A & C
Mower Deck		
Deck Type	Pressed steel	Fabricated steel
Deck Thickness	2 mm (14 Ga.)	4 mm (9 Ga.)
Cutting Width	42" (106 cm)	42" (106 cm)
Spindle Housings	Cast aluminium 5 Mounting bolts	Cast aluminium 6 Mounting bolts
Blade Engagement	Electric PTO	Electric PTO
Height-of-Cut Positions	7	7
Height-of-Cut Range (Indicative)	3.8 - 11.4 cm (1.5 - 4.5")	2.5 - 10.2 cm (1.0 - 4.0")
Cutting Height Adjustment	Foot operated	Foot operated
Anti-Scalp Wheels	2	3
Mulching Kit	Included	Included
Dimensions (with chute raised)		
Length x Width x Height (cm)	194 x 112 x 106	194 x 113 x 106
Domestic Limited Warranty¹		
Engine	2 Years	2 Years
Balance of Mower	2 Years	2 Years

^ As tested by Victa.

# GENUINE SPARE PARTS & ACCESSORIES



**GENUINE BRIGGS & STRATTON  
OIL**



**GENUINE VICTA AND BRIGGS &  
STRATTON REPLACEMENT PARTS  
FOR BEST PERFORMANCE**



**LAWNMOWER  
BLADES**



**MR FUNNEL - FUEL FILTER FUNNEL  
REMOVES WATER AND DEBRIS  
FROM FUEL**



**BRIGGS & STRATTON FUEL  
PRESERVATIVE  
KEEPS FUEL FRESH UP TO 3 YEARS**



**VICTA 5L  
FUEL CAN**



# FINANCE AVAILABLE.

INTEREST  
FREE TERMS  
AVAILABLE<sup>^</sup>

zip



<sup>^</sup>Zip Money: T&Cs, and credit approval apply. A monthly account fee of \$9.95 will apply. A one-off establishment fee may apply for new customers. Other charges may be payable, see T&Cs. Interest, fees and charges subject to change. Credit provided by ZipMoney Payments Pty Ltd (ABN 58 164 440 993), Australian Credit Licence Number 441878.





**8 YEARS IN A ROW!**



**When it comes to outdoor power equipment,  
our family of brands has a solution for all your needs.  
Speak to your dealer today about how we can help  
make light work of any task.**

Our brands are some of the most iconic in their industries with a combined legacy of over 500 years.



**Briggs & Stratton Australia Pty Ltd**

Locked Bag 5004

St Clair NSW 2759

P: 1800 356 632

©2025 All rights reserved.

Briggs & Stratton has a policy of continuous product improvement and reserves the right to modify its specifications at any time and without prior notice. Product specification, prices, colour and images are subject to change without prior notification. Actual products may vary from images shown. Please refer to your owners manual for the latest personal protection equipment required.



MK25153A-A